

Historical Div.


No. 94

2 May 1947

Declassified

Military Government

Weekly Health Report



OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH AND WELFARE BRANCH

Occupied Germany:

In the following Appendices "A", "B", and "C" are summaries of communicable disease cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ending 12 April 1947. Summarized in Appendix "D" is a report of Animal Diseases by Land for the half month period ending 31 March 1947, together with a comparison of the three immediately preceding periods. (Veterinary reports are submitted semi-monthly).

Communicable Diseases:

No new cases of typhus fever or smallpox were reported during the current week and there were no increases of any significance except for 92 cases of bacterial food poisoning reported in RB Oberbayern, Land Bavaria. Tuberculosis remains at approximately the same level as during the previous week. Although the reported cases of gonorrhea and syphilis are slightly higher than last week they are still below the average for the month of March.

The only diseases with important decreases in incidence were scabies, with the lowest number reported during any one week this year, and influenza with a fifty percent decrease over the previous week.

Animal Diseases:

There is no appreciable change in incidence of most diseases from that of the preceding periods.

APPENDIX "A"

**Communicable Disease Report United States Zone of Germany
for Week ending 12 April 1947**

| Regierungs- bezirk a) | Popu- lation a) | Reported Number of New CASES and DEATHS from COMMUNICABLE DISEASE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-----------------------|---|--------------|----------|---------|-----------------|---------|------------|---------------|-------------------|----------------|------------------|------------|----------|---------------|-------------|---------------------|--------------------|--------|---------|-----------|---------|----------|-----------|------|-----|---|-----|-----|-----|-----|---|----|---|
| | | Cases, Deaths | Typhus Fever | Smallpox | Anthrax | Relapsing Fever | Cholera | Diphtheria | Scarlet Fever | Tuberculosis Lung | Whooping Cough | Meningitis other | Gonorrhoea | Syphilis | Typhoid Fever | Paratyphoid | Infectious Jaundice | Encephalitis epid. | Rabies | Malaria | Influenza | Measles | C: Cases | d: Deaths | | | | | | | | | | |
| TOTAL US Zone | 18,405,000 | c | — | — | — | — | — | — | — | 453 | 116 | 785 | 188 | 225 | 13 | 3 | 1525 | 840 | 53 | 18 | 17 | 93 | — | 27 | 3032 | — | 3 | 101 | 548 | 1 | | | | |
| Unterfranken | 1,029,000 | c | — | — | — | — | — | — | — | 15 | 5 | 26 | 2 | 22 | — | 2 | 43 | 45 | 20 | 1 | — | — | — | — | 3 | 458 | — | — | — | 64 | — | | | |
| Ober- und Mittelfranken | 2,353,000 | c | — | — | — | — | — | — | — | 41 | 6 | 95 | 11 | 45 | 1 | — | — | — | — | 5 | 3 | — | — | — | — | — | — | — | — | 9 | 243 | — | | |
| Niederbayern and Oberpfalz | 2,043,000 | c | — | — | — | — | — | — | — | 40 | 9 | 46 | 10 | 37 | 3 | — | 104 | 45 | 5 | 5 | — | — | — | — | — | — | — | — | 2 | 38 | 76 | — | | |
| Schwaben | 1,240,000 | c | — | — | — | — | — | — | — | 27 | 2 | 49 | 2 | 10 | 1 | — | 71 | 31 | 3 | 2 | — | — | — | — | — | — | — | — | — | 154 | — | 5 | 15 | — |
| Oberbayern | 2,459,000 | c | — | — | — | — | — | — | — | 53 | 18 | 122 | 15 | 18 | 3 | 1 | 295 | 158 | 2 | — | 1 | 92 | — | — | 13 | 336 | — | — | 1 | 25 | 23 | — | | |
| Kassel | 1,254,000 | c | — | — | — | — | — | — | — | 26 | 13 | 32 | 27 | 12 | — | — | 88 | 39 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Wiesbaden | 1,578,000 | c | — | — | — | — | — | — | — | 44 | 16 | 107 | 41 | 3 | 1 | — | 221 | 152 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Darmstadt | 1,289,000 | c | — | — | — | — | — | — | — | 38 | 6 | 76 | 13 | 17 | 1 | — | 59 | 45 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Baden | 1,397,000 | c | — | — | — | — | — | — | — | 44 | 8 | 48 | 21 | 17 | — | — | 118 | 52 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Wuerttemberg | 2,281,000 | c | — | — | — | — | — | — | — | 65 | 17 | 69 | 21 | 42 | 1 | — | 132 | 55 | 2 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bremen | 492,000 | c | — | — | — | — | — | — | — | 25 | 5 | 36 | 4 | 2 | 1 | — | 119 | 52 | 1 | — | 5 | — | — | — | — | — | — | — | — | 2 | 84 | — | — | — |
| Berlin (US Sector) | 990,000 | c | — | — | — | — | — | — | — | 35 | 11 | 79 | 21 | + | 1 | — | 107 | 54 | 3 | 10 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |

APPENDIX "B" Communicable Disease Report (by Land) United States Zone of Germany
 for Week ending 12 April 1947

| Land | Popu- lation a) | Reported Number of New CASES and DEATHS from COMMUNICABLE DISEASE | | | | | | | | | | c: Cases | d: Deaths | | | | | | | | | | | | | | | | | | | |
|--|-----------------------|---|--------------|----------|---------|---------|------------|---------------|------------------------------|----------------|----------------------|----------|---------------|-------------|----------------------|----------------|------------------|---------------------|--------|---------|-----------|-------|-----|-----|-----|---|-----|-------|---|-----|-----|------|
| | | Cases, Deaths | Typhus Fever | Smallpox | Anthrax | Cholera | Diphtheria | Scarlet Fever | Tuberculosis Lung and Larynx | Whooping Cough | Genitalis Gonorrhoea | Syphilis | Typhoid Fever | Paratyphoid | Infectious Enteritis | Food poisoning | Chundulant Fever | Infectious Jaundice | Rabies | Zalaria | Influenza | Total | | | | | | | | | | |
| Total US Zone | 18,405,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 548 | | | | | | | | | | | |
| Bavaria | 9,124,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 1 | | | | | | | | | | | |
| Hesse | 4,121,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 421 | | | | | | | | | | | |
| Wuerttemberg-Baden | 3,678,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 56 | | | | | | | | | | | |
| Bremen | 492,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 2 | | | | | | | | | | | |
| Berlin (US Sector) | 990,000 | c — | p — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | c — | 21 | | | | | | | | | | | |
| Case Rates Expressed as per 10,000 Population per Annum | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total US Zone | 18,405,000 | — | — | — | — | — | — | — | — | — | — | — | — | 12.8 | 3.3 | 22.2 | 5.3 | 6.4 | 0.4 | 0.1 | 43.1 | 23.7 | 1.5 | 0.5 | 2.6 | — | 0.8 | 85.7 | — | 0.1 | 2.9 | 15.5 |
| Bavaria | 9,124,000 | — | — | — | — | — | — | — | — | — | — | — | — | 10.0 | 2.3 | 19.3 | 2.3 | 7.5 | 0.5 | 0.2 | 38.8 | 22.3 | 2.0 | 0.6 | 5.2 | — | 1.3 | 122.3 | — | 0.2 | 4.4 | 24.0 |
| Hesse | 4,121,000 | — | — | — | — | — | — | — | — | — | — | — | — | 13.6 | 4.4 | 27.1 | 10.2 | 4.0 | 0.3 | — | 46.4 | 29.8 | 1.0 | 0.1 | — | — | — | 40.5 | — | — | 7.1 | |
| Wuerttemberg-Baden | 3,678,000 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 35.3 | 15.1 | 0.8 | 0.1 | — | — | 0.4 | 68.0 | — | — | 9.8 | |
| Bremen | 492,000 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Berlin (US Sector) | 990,000 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 April 1947.
 + Indicates no data submitted. - Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05.

APPENDIX "C"

Communicable Disease Rates United States Zone of Germany
for Week ending 12 April 1947

| Regierungs-Bezirk | Popula-tion a) | Typhus Fever | Smallpox | Anthrax | Relapsing Fever | Cholera | Pest | Catarrh Fever | Tuberculosis Lung & Larynx | Tuberculosis Lung other | Whooping Cough | Gonorrhœa | Syphilis | Typhoid Fever | Dysentery Infectious | Bact. Food Poisoning | Infectious Jaundice | Rabies | Malaria | Influenza | Measles | | | | | | | | |
|----------------------------|-------------------|--------------|----------|---------|-----------------|---------|------|---------------|----------------------------|----------------------------|----------------|-----------|----------|---------------|----------------------|----------------------|---------------------|--------|---------|-----------|---------|-----|-------|------|-----|-----|------|------|------|
| Total US Zone | 18,405,000 | — | — | — | — | — | — | — | 12.8 | 3.3 | 22.2 | 5.3 | 6.4 | 0.4 | 0.1 | 43.1 | 23.7 | 1.5 | 0.5 | 2.6 | — | 0.8 | 85.7 | — | 0.1 | 2.9 | 15.5 | | |
| Unterfranken | 1,029,000 | — | — | — | — | — | — | — | 7.6 | 2.5 | 13.1 | 1.0 | 11.1 | — | 1.0 | 21.7 | 22.7 | 10.1 | 0.5 | — | — | 1.5 | 231.4 | — | — | — | 32.3 | | |
| Ober- and Mittelfranken | 2,353,000 | — | — | — | — | — | — | — | 9.1 | 1.3 | 21.0 | 2.4 | 9.9 | 0.1 | — | 37.1 | 24.8 | 1.1 | 0.7 | — | — | 1.1 | 122.6 | — | — | — | 2.0 | 53.7 | |
| Niederbayern und Oberpfalz | 2,043,000 | — | — | — | — | — | — | — | 10.2 | 2.3 | 11.7 | 2.5 | 9.4 | 0.8 | — | 26.5 | 11.5 | 1.3 | 1.3 | — | — | 0.3 | 163.7 | — | — | 0.5 | 9.7 | 19.3 | |
| Schwaben | 1,240,000 | — | — | — | — | — | — | — | 11.3 | 0.8 | 20.5 | 0.8 | 4.2 | 0.4 | — | 29.8 | 13.0 | 1.3 | 0.8 | — | — | — | 64.6 | — | — | — | 2.1 | 6.3 | |
| Oberbayern | 2,459,000 | — | — | — | — | — | — | — | 11.2 | 3.8 | 25.8 | 3.2 | 3.8 | 0.6 | 0.2 | 62.4 | 33.4 | 0.4 | — | 0.2 | 19.5 | — | 2.7 | 71.1 | — | 0.2 | 5.3 | 4.9 | |
| Kassel | 1,254,000 | — | — | — | — | — | — | — | 10.8 | 5.4 | 13.3 | 11.2 | 5.0 | — | — | 36.5 | 16.2 | 2.5 | — | — | — | — | 50.2 | — | — | — | — | 7.9 | |
| Wiesbaden | 1,578,000 | — | — | — | — | — | — | — | 14.5 | 5.3 | 35.3 | 13.5 | 1.0 | 0.3 | — | 72.8 | 50.1 | 0.3 | — | — | — | — | — | — | — | — | — | — | 1.6 |
| Darmstadt | 1,289,000 | — | — | — | — | — | — | — | 15.3 | 2.4 | 30.7 | 5.2 | 6.9 | 0.4 | — | 23.8 | 18.2 | 0.4 | 0.4 | — | — | — | — | — | — | — | — | — | 12.9 |
| Baden | 1,397,000 | — | — | — | — | — | — | — | 16.4 | 3.0 | 17.9 | 7.8 | 6.3 | — | — | 43.9 | 19.4 | 1.5 | 0.4 | 0.4 | — | — | — | — | — | — | — | — | — |
| Wuerttemberg | 2,281,000 | — | — | — | — | — | — | — | 14.8 | 3.9 | 15.7 | 4.8 | 9.6 | 0.2 | — | 30.1 | 12.5 | 0.5 | 1.1 | — | — | — | 0.7 | 31.0 | — | — | — | — | 15.7 |
| Bremen | 492,000 | — | — | — | — | — | — | — | 26.4 | 5.3 | 38.0 | 4.2 | 2.1 | 1.1 | — | 125.8 | 55.0 | 1.1 | — | 5.3 | — | — | 2.1 | 88.8 | — | — | — | 25.4 | 2.1 |
| Berlin (US Sector) | 990,000 | — | — | — | — | — | — | — | 18.4 | 5.8 | 41.5 | 11.0 | + | 0.5 | — | 56.2 | 28.4 | 1.6 | — | 5.3 | 0.5 | — | — | — | — | — | — | — | + |

a) Official population estimate established by Civil Administration Division, OMIGUS, as of 1 April 1947.

+ Indicates no data submitted. — Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05. (Rates Expressed as per 10,000 Population per Annum).

APPENDIX "D"

Incidence of Reportable Animal Diseases in the US Zone of Germany for the Period 16-31 March 1947

Figures are number of farms (Gehöfte) newly infected

| Disease | Land Bavaria | Land Hesse | Land Baden Württbg. | Land Bremen | Berlin Dist. | Total US Zone 16-31 March | Total US Zone 1-15 March | Total US Zone 16-28 Feb. | Total US Zone 1-15 Feb. |
|---------------------------------------|--------------|------------|---------------------|-------------|--------------|---------------------------|--------------------------|--------------------------|-------------------------|
| Anthrax | | | | | | | | | |
| Blackleg | | | | | | | | | |
| Coital vesicular exanthema | | | 12 | | | 12 | 6 | 5 | 9 |
| Contagious abortion of bovine | 9 | | | | | 9 | 32 | 2 | 2 |
| Dourine of equine | | 2 | 4 | | | 6 | 4 | 8 | |
| Encephalomyelitis of equine (& Borna) | | | 9 | | | 9 | 8 | 2 | 2 |
| Erysipelas | 49 | 12 | 10 | | | 71 | 33 | 44 | 56 |
| Foot and mouth disease | 1 | | | | | 1 | 4 | 8 | 5 |
| Fowl cholera | | | 1 | | | 1 | 1 | 1 | |
| Fowl pest | 34 | | 2 | | | 36 | 21 | 6 | 7 |
| Glanders | | | | | | | | 3 | 1 |
| Infectious anemia of equine | 1 | 4 | 4 | | | 9 | 6 | 9 | 3 |
| Malignant edema of bovine | | | | | | | | | 1 |
| Pox of ovine | | | | | | | | | |
| Rabies | | | | | | | | | |
| Scabies of bovine | 2 | | 9 | | | 11 | 2 | 2 | 8 |
| Scabies of equine | 33 | 5 | 10 | 2 | 10 | 60 | 44 | 87 | 68 |
| Scabies of ovine | 10 | 24 | | | | 34 | 9 | 27 | 35 |
| Swine fever | | | | | | | | | |
| Texas tick fever | | | | | | | | | |
| Trichomoniasis | 36 | | | | | 36 | | 74 | |
| Tuberculosis of bovine (open) | | | 9 | | | 9 | 6 | 5 | 9 |

Yankee Doodle Dandy of General Ignatius McGraw is another
1671 serial #E of batch will not

be sold until January 1st of next year.

Send to book store or library
and will be sent to you
as soon as possible.
Price \$1.00
Postage 10c
Total \$1.10

Printed by
the



1671 / 200 / 12 / 5 / 47